



Security Alarm
CABLE



CATALOG
SECURITY ALARM CABLE
ZION COMMUNICATION



Factory

And

Production Equipment

Quality Control

Consistent quality is the key to develop long-term business relationship; therefore ZION COMMUNICATION valued consistent quality throughout every phase of manufacturing process.

From raw materials to final products, we perform intense quality checks to maintain our product quality.

Since quality is the buzz word today & each customer/consumer wants it in totality. Our quality policy & work philosophy stresses towards total customer satisfaction. We have well defined interdepartmental as well as intra Departmental Network Blocks where complete monitoring of job works is done. A well trained staff/Dedicated sales /Excelled production force all strive continuously delivering better services to the customer. An ISO-9002 certification is an affidavit to it which consolidates our verdict for quality.



MAKING QUALITY A PRIORITY

Quality Control

A highlight of ZION COMMUNICATION is its emphasis on Quality Control, Quality Audit and Quality Assurance in the spheres of manufacturing activities and service, i.e. from RAW MATERIAL TO FINAL PRODUCTS to CUSTOMER SUPPORT SERVICES.

Electrolytic Copper & Aluminum ensures longer life for conductor. Bunching/twisting of ministrants as per international standards. Proper annealing gives softness & flexibility.

Insulation -grade PVC stands high temperatures.
Higher DI-electric strength insulation used.
Weather proof sheathing/insulation material.
Grease/Oil resistant properties.
Voltage fluctuations don't affect.
Resistant to fire hazards.
Self fire-extinguishing & flame proof cables.
Rigid quality controls conforms to-specification.
Chemicals and microbiological attacks don't affect.
No damage due to severe bending while laying.
Immune to fluctuations in temperatures.
Fire Insurance approved.

Description Design

Cable with Copper / Aluminium Conductors PVC insulated colour coded cores laid extruded PVC inner sheathed overall PVC sheathed armored / unarmored cables.

Tests

Testing is a very important part of cable manufacture and all raw materials and finished cables must be thoroughly tested to ensure the quality of cables. ZION COMMUNICATION has a well equipped test fields and electrical, mechanical and chemical laboratories capable of carrying out all tests which are required as per relevant specifications. The most modern testing equipment is installed in these laboratories.






CABLE TYPE

- 0.2mm² 71110
- 0.2mm² 71111
- 0.22+0.5 or 0.75 71112
- UL 71113
- Mylar Cable 71114

0.2mm² 71110



CONSTRUCTION

Conductors:
TC/BC/CCA/TCCA wire, Solid or Stranded

Insulation:
PVC

Collective screen:
Aluminum Foil (with Drain Wire,TC/BC/CCA/TCCA)

Rip Cord
Cotton Wire

Outer Sheath:
PVC

CERTIFICATES CLASSIFICATION



NO.	NAME
7111001	2x0.2mm ² SOL-U
7111002	4x0.2mm ² SOL-U
7111003	6x0.2mm ² SOL-U
7111004	8x0.2mm ² SOL-U
7111005	10x0.2mm ² SOL-U
7111006	12x0.2mm ² SOL-U
7111007	16x0.2mm ² SOL-U
7111008	20x0.2mm ² SOL-U

NO.	NAME
7111051	2x0.2mm ² SOL-S
7111052	4x0.2mm ² SOL-S
7111053	6x0.2mm ² SOL-S
7111054	8x0.2mm ² SOL-S
7111055	10x0.2mm ² SOL-S
7111056	12x0.2mm ² SOL-S
7111057	16x0.2mm ² SOL-S
7111058	20x0.2mm ² SOL-S


IDENTIFICATION OF CORES

- 4 cores: ●●●●
- 6 cores: ●●●●●●
- 8 cores: ●●●●●●●●
- 10 cores: ●●●●●●●●●●
- 12 cores: ●●●●●●●●●●●●

MAJOR EXPORTING COUNTRIES

[EU]: United Kingdom, Italy, Russia
 [NA]: United States, Mexico
 [SA]: Brazil, Peru
 [AF]: South Africa, Egypt
 [AS]: Malaysia, Thailand, Vietnam
 [OA]: Australia

0.22+0.5 or 0.75 71112



POPULAR PACKAGING:

Inquired Length on Reel, Pull Box,
Plastic Spool, Wooden Spool, Pallet ...

APPLICATION:

Wiring Burglar & Security alarms,
public address systems,
intercoms, telephone stations,
speakers, instrumentation,
control and other low voltage
circuits that are power limited.

SCAN QR CODE FOR MORE PRODUCT DETAILS



NO.	NAME
7111201	2x0.50+2x0.22mm ² STR-U
7111202	2x0.50+4x0.22mm ² STR-U
7111203	2x0.50+6x0.22mm ² STR-U
7111204	2x0.50+8x0.22mm ² STR-U
7111205	2x0.50+10x0.22mm ² STR-U
7111206	2x0.50+12x0.22mm ² STR-U
7111221	2x0.50+2x0.22mm ² STR-S
7111222	2x0.50+4x0.22mm ² STR-S
7111223	2x0.50+6x0.22mm ² STR-S
7111224	2x0.50+8x0.22mm ² STR-S
7111225	2x0.50+10x0.22mm ² STR-S
7111226	2x0.50+12x0.22mm ² STR-S




NO.	NAME
7111241	2x0.75+2x0.22mm ² STR-U
7111242	2x0.75+4x0.22mm ² STR-U
7111243	2x0.75+6x0.22mm ² STR-U
7111244	2x0.75+8x0.22mm ² STR-U
7111245	2x0.75+10x0.22mm ² STR-U
7111246	2x0.75+12x0.22mm ² STR-U
7111261	2x0.75+2x0.22mm ² STR-S
7111262	2x0.75+4x0.22mm ² STR-S
7111263	2x0.75+6x0.22mm ² STR-S
7111264	2x0.75+8x0.22mm ² STR-S
7111265	2x0.75+10x0.22mm ² STR-S
7111266	2x0.75+12x0.22mm ² STR-S



SECURITY ALARM CABLE

0.2mm² 71111

UL 71113



NO.	NAME
7111102	4x0.22mm ² SOL-U
7111103	6x0.22mm ² SOL-U
7111104	8x0.22mm ² SOL-U
7111105	10x0.22mm ² SOL-U
7111106	12x0.22mm ² SOL-U
7111107	14x0.22mm ² SOL-U
7111108	16x0.22mm ² SOL-U
7111109	20x0.22mm ² SOL-U
7111110	30x0.22mm ² SOL-U
7111111	40x0.22mm ² SOL-U

NO.	NAME
7111151	4x0.22mm ² SOL-S
7111152	6x0.22mm ² SOL-S
7111153	8x0.22mm ² SOL-S
7111154	10x0.22mm ² SOL-S
7111155	12x0.22mm ² SOL-S
7111156	14x0.22mm ² SOL-S
7111157	16x0.22mm ² SOL-S
7111158	20x0.22mm ² SOL-S
7111159	30x0.22mm ² SOL-S
7111160	40x0.22mm ² SOL-S

NO.	NAME
7111301	22-2 STR-U
7111302	22-3 STR-U
7111303	22-4 STR-U
7111304	22-6 STR-U
7111305	22-8 STR-U
7111306	22-10 STR-U
7111307	22-12 STR-U

NO.	NAME
7111351	22-2 STR-S
7111352	22-3 STR-S
7111353	22-4 STR-S
7111354	22-6 STR-S
7111355	22-8 STR-S
7111356	22-10 STR-S
7111357	22-12 STR-S

Mylar Cable



NO.	NAME
7111401	2x0.22mm ² Mylar Cable
7111402	4x0.22mm ² Mylar Cable
7111403	6x0.22mm ² Mylar Cable
7111404	8x0.22mm ² Mylar Cable
7111405	10x0.22mm ² Mylar Cable
7111406	12x0.22mm ² Mylar Cable
7111407	14x0.22mm ² Mylar Cable
7111408	16x0.22mm ² Mylar Cable
7111409	18x0.22mm ² Mylar Cable
7111410	20x0.22mm ² Mylar Cable
7111421	2x0.50mm ² Mylar Cable
7111422	4x0.50mm ² Mylar Cable
7111423	6x0.50mm ² Mylar Cable
7111424	8x0.50mm ² Mylar Cable

NO.	NAME
7111425	12x0.50mm ² Mylar Cable
7111426	16x0.50mm ² Mylar Cable
7111441	2x1.00mm ² Mylar Cable
7111442	4x1.00mm ² Mylar Cable
7111443	6x1.00mm ² Mylar Cable
7111444	8x1.00mm ² Mylar Cable
7111445	12x1.00mm ² Mylar Cable
7111446	16x1.00mm ² Mylar Cable
7111461	2x1.50mm ² Mylar Cable
7111462	4x1.50mm ² Mylar Cable
7111463	6x1.50mm ² Mylar Cable
7111464	8x1.50mm ² Mylar Cable
7111465	12x1.50mm ² Mylar Cable
7111466	16x1.50mm ² Mylar Cable


7111311	18-2 STR-U
7111312	18-3 STR-U
7111313	18-4 STR-U
7111314	18-6 STR-U
7111315	18-8 STR-U
7111316	18-10 STR-U
7111317	18-12 STR-U
7111321	16-2 STR-U
7111322	16-3 STR-U
7111323	16-4 STR-U
7111331	14-2 STR-U
7111332	14-4 STR-U
7111341	12-2 STR-U
7111342	12-4 STR-U

7111361	18-2 STR-S
7111362	18-3 STR-S
7111363	18-4 STR-S
7111364	18-6 STR-S
7111365	18-8 STR-S
7111366	18-10 STR-S
7111367	18-12 STR-S
7111371	16-2 STR-S
7111372	16-3 STR-S
7111373	16-4 STR-S
7111381	14-2 STR-S
7111382	14-4 STR-S
7111391	12-2 STR-S
7111392	12-4 STR-S

Packing :

Length : 100M, 200M, 300M, 305M, 500M, 1000M or as customer need



Manner : Reel with PET, Plastic Spool, Wooden Spool, Carton, Pull box, Pallet.



Quality

Professional

Safety



ZION
HELLOSIGNAL

www.zion-communication.com



Communication

■ CONNECT US

www.zion-communication.com

TEL : +86 571 63804414
FAX : +86 571 63804424
Email: info@zion-communication.com
ADD : NO.68,HuaQiao ROAD, JinCheng Street,
LinAn,ZheJiang,China 311300

HANGZHOU ZION COMMUNICATION CO.,LTD
www.zion-communication.com